


What is Claimed is:


1. A compound of the formula (I) or (II) :

5



wherein X in each case is chosen from

10



R1 is chosen from hydrogen or alkyl branched or straight chain alkyl, each carbon atom
 15 in the chain is optionally replaced with one to three heteroatoms chosen from O, S, and
 N-R2 wherein R2 is hydrogen or alkyl;

and wherein R1 is optionally further substituted by one or more alkoxy, amine, halogen,
 carbocycle, heteroaryl or heterocycle;


20

or the pharmaceutically acceptable salts thereof.


2. The compound according to claim 1 wherein:

5

in the formula (I)



X is chosen from



10

R1 is chosen from hydrogen or C1-10 alkyl branched or straight chain C1-10 alkyl, each carbon atom in the chain is optionally replaced with one to three heteroatoms chosen from O, S, and N-R2 wherein R2 is hydrogen or C1-5 alkyl;


15

and wherein R1 is optionally further substituted by one or more C1-5 alkoxy, amine, heterocycle or halogen.


20 3. The compound according to claims 1 or 2 wherein of R1 is C1-5 alkyl.

4. The compound according to any of claims 1, 2 or 3 wherein of R1 is C1-3 alkyl, preferably methyl.




5 5. The compound according to claims 1 or 2 wherein R1 is chosen from:



6. The compound according to any of claims 1-5 wherein the compound of the formula
 10 (I) is the (S) enantiomer which possesses a natural amino acid configuration at the indicated chiral carbon below




15 7. A compound chosen from



or the pharmaceutically acceptable salts thereof.

5





8. A compound or the pharmaceutically acceptable salts thereof wherein the compound is:




wherein the indicated chiral carbon is the (S) enantiomer which possesses a natural amino acid configuration.

5


9. A compound chosen from:



10



and



;

or the pharmaceutically acceptable salts thereof.

5

10. A method of treating a disease or condition chosen from:

rheumatoid arthritis, systemic lupus erythematosus, Crohn's disease, ulcerative colitis, multiple sclerosis, Guillain-Barre syndrome, psoriasis, Grave's disease, myasthenia
 10 gravis, scleroderma, glomerulonephritis, dermatitis including contact and atopic dermatitis, insulin-dependent diabetes mellitus, endometriosis, asthma, Alzheimer's disease and atherosclerosis; comprising administering to a patient a pharmaceutically effective amount of a compound according to claim 1.